


















GERENCSÉR MIKLÓS  
8900 Zalaegerszeg  
+36309572287  
mikipro@t-online.hu



Az árak bruttó árak. Érvényes 2018. májustól  
Az ár euró/forint átváltás függvénye!

## GALVANIZÁLT ÓLOM LÖVEDÉK

|   | CALIBER | SHAPE | WEIGHT | DIAMETER | Csomag /db | kg/1000db | ár/1000db |
|---|---------|-------|--------|----------|------------|-----------|-----------|
|    | 9mm     | RN    | 123    | .356     | 500        | 8         | 22000.-Ft |
|    | 9mm     | HP    | 123    | .356     | 500        | 8         | 22000.-Ft |
|    | 9mm     | FP    | 123    | .356     | 500        | 8         | 22000.-Ft |
|   | 9mm     | RN    | 145    | .356     | 500        | 9,5       | 25000.-Ft |
|  | 9mm     | HP    | 145    | .356     | 500        | 9,5       | 25000.-Ft |
|  | 9mm     | FP    | 145    | .356     | 500        | 9,5       | 25000.-Ft |
|  | 38/357  | WC    | 148    | .358     | 500        | 9,7       | 25000.-Ft |
|  | 38/357  | FP    | 158    | .358     | 500        | 10,25     | 28000.-F  |
|  | 38/357  | HP    | 158    | .358     | 500        | 10,25     | 28000.-Ft |
|  | 38/357  | SWC   | 158    | .358     | 500        | 10,25     | 28000.-Ft |

|  | CALIBER | SHAPE | WEIGHT | DIAMETER | CSOMAG/db | kg/1000db | ár/1000db        |
|--|---------|-------|--------|----------|-----------|-----------|------------------|
|   | 38/357  | FP    | 180    | .358     | 250       | 11,7      | <b>29000.-Ft</b> |
|   | 38/357  | HP    | 180    | .358     | 250       | 11,7      | <b>29000.-Ft</b> |
|   | 40 S&W  | RNFP  | 180    | .401     | 250       | 11,7      | <b>29000.-Ft</b> |
|   | 40 S&W  | RN    | 180    | .401     | 250       | 11,7      | <b>29000.-Ft</b> |
|   | 44 Mag  | RNFP  | 240    | .429     | 250       | 15,6      | <b>33000.-Ft</b> |
|   | 45ACP   | SWC   | 200    | .451     | 250       | 13        | <b>30500.-Ft</b> |
|  | 45ACP   | RN    | 230    | .451     | 250       | 15        | <b>32500.-Ft</b> |

